This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

Claim 1 (Original): A method comprising:

reading at least a subset of audio content comprising an audio file from optical media removably integrated with an optical drive; and

analyzing at least the read subset of audio content to quantify optical drive read accuracy; and

generating one or more metrics of optical drive read accuracy based, at least in part, on the analysis of the read subset of audio content.

Claim 2 (Original): A method according to claim 1, wherein reading at least a subset of audio content comprises:

reading a block of audio content; and iteratively repeating the reading step using different block sizes.

Claim 3 (Original): A method according to claim 2, wherein analyzing the audio content comprises:

comparing a first bundle of audio content from one sector of a block of audio content to a second bundle of audio content from the one sector of the block; and

measuring a difference in amplitude between the first bundle and the second bundle to quantify intra-sector misalignment.

Claim 4 (Original): A method according to claim 3, wherein analyzing the audio content further comprises:

comparing a last bundle of audio content from one sector of a block of audio content to a first bundle of audio content from a subsequent sector of the block of audio content; and

measuring an amplitude difference between the bundles to quantify intersector misalignment.

Claim 5 (Original): A method according to claim 4, wherein the subsequent bundle is immediately adjacent to the first bundle.

Claim 6 (Original): A method according to claim 4, further comprising: adjusting one or more operational settings associated with the optical drive based, at least in part, on the intra- and/or inter-sector misalignment.

Claim 7 (Original): A method according to claim 4, wherein analyzing the audio content further comprises:

comparing data associated with a left channel of a bundle with data associated with a right channel of the bundle; and

measuring an amplitude difference between the left channel and the right channel to quantify a channel offset.

 Claim 8 (Original): A method according to claim 7, further comprising: adjusting one or more operational settings associated with the optical drive based, at least in part, on the intra-sector misalignment and/or the channel offset.

Claim 9 (Original): A method according to claim 1, wherein analyzing the audio content further comprises:

comparing a last bundle of audio content from one sector of a block of audio content to a first bundle of audio content from a subsequent sector of the block of audio content; and one or more of:

measuring an amplitude difference between the bundles to quantify intersector misalignment.

measuring an amplitude difference between data associated with a left channel of a bundle and data associated with a right channel of the bundle to quantify channel offset.

Claim 10 (Currently amended): A method according to claim 1, wherein analyzing the audio content comprises:

comparing audio content within and between [[to]] two adjacent sectors to quantify one or more of intra-sector misalignment, inter-sector misalignment and/or channel offset metrics.

Claim 11 (Currently amended): A machine computer readable medium having-stored thereon a plurality of comprising of executable instructions which, when executed, implement [[a]]the method according to claim 1.

Claim 12 (Original): A computer system comprising:

a storage device having stored therein a plurality of executable instructions; and

an execution unit, coupled to the storage device, to selectively execute at least a subset of the plurality of executable instructions to implement a method according to claim 1.

Claims 13-15 (Canceled)